

Contents

1. An Overview of Ptolemy

| | | |
|------|------------------------------------------------|-----|
| 1.1 | Introduction | 1-1 |
| 1.2 | History | 1-2 |
| 1.3 | Ptolemy Kernel | 1-3 |
| 1.4 | Models of Computation | 1-4 |
| 1.5 | Dataflow Models of Computation | 1-6 |
| 1.6 | Discrete-Event Models of Computation | 1-6 |
| 1.7 | Synchronous Reactive Modeling | 1-7 |
| 1.8 | Finite State Machines | 1-7 |
| 1.9 | Mixing Models of Computation | 1-7 |
| 1.10 | Code Generation | 1-8 |
| 1.11 | Conclusion | 1-8 |
| 1.12 | Current Directions | 1-8 |
| 1.13 | Organization of the documentation | 1-9 |
| 1.14 | Acknowledgments | 1-9 |
| | Personnel 1-9 | |
| | Support 1-11 | |
| | Prior software 1-11 | |

2. The Interactive Graphical Interface

| | | |
|-----|-----------------------------------------------|------|
| 2.1 | Introduction | 2-1 |
| | Setup 2-1 | |
| 2.2 | Running the Ptolemy demos | 2-2 |
| | Starting Ptolemy 2-2 | |
| | Exploring the menus 2-4 | |
| | Traversing the hierarchy 2-5 | |
| | Running a Ptolemy application 2-6 | |
| | Examining schematics more closely 2-9 | |
| | Invoking on-line documentation for stars 2-10 | |
| | More extensive exploration of the demos 2-11 | |
| | What's new 2-12 | |
| 2.3 | Dialog boxes | 2-12 |
| | Tk control panels 2-12 | |
| | Athena widget dialog boxes 2-13 | |
| 2.4 | Parameters and states | 2-14 |
| | A note on terminology 2-14 | |
| | Changing or setting parameters 2-15 | |
| | Reading Parameter Values From Files 2-16 | |
| | Inserting Comments in Parameters 2-16 | |

| | |
|-----------------------------------------------------------------|-------------|
| Using Tcl Expressions in Parameters | 2-17 |
| Using Matlab and Mathematica to Compute Parameters | 2-18 |
| Array parameters | 2-19 |
| String Parameters | 2-19 |
| 2.5 Particle types | 2-20 |
| 2.6 The oct design database and its editor, vem. | 2-21 |
| 2.7 Creating universes. | 2-22 |
| Opening working windows | 2-23 |
| Some basic vem commands | 2-24 |
| Building an example | 2-26 |
| 2.8 Using galaxies | 2-30 |
| Creating a galaxy | 2-30 |
| Using a galaxy | 2-31 |
| Galaxy and universe parameters | 2-32 |
| 2.9 Editing Icons. | 2-34 |
| 2.10 Sounds | 2-38 |
| Workstation Audio Internet Resources | 2-38 |
| Solaris | 2-38 |
| HPUX | 2-39 |
| Playing Audio over the Network | 2-39 |
| Ptolemy Sounds | 2-40 |
| 2.11 Hardcopy. | 2-40 |
| Printing oct facets | 2-41 |
| Capturing a screen image | 2-41 |
| 2.12 Other useful information | 2-44 |
| Plotting signals and Fourier transforms | 2-44 |
| Moving objects | 2-44 |
| Copying objects | 2-44 |
| Labeling a design | 2-45 |
| Icon orientation | 2-45 |
| Finding the names of terminals | 2-45 |
| Multiple inputs and outputs | 2-46 |
| Using delays | 2-47 |
| Auto-forking | 2-48 |
| Dealing with errors | 2-49 |
| Copying and moving designs | 2-50 |
| Environment variables | 2-51 |
| Command-line options | 2-53 |
| 2.13 X Resources | 2-54 |
| 2.14 Tk options | 2-55 |
| 2.15 Multi-domain universes | 2-55 |
| 3. ptcl: The Ptolemy Interpreter | |
| 3.1 Introduction | 3-1 |

| | | |
|------------|-------------------------------------------------------------------|-------------|
| 3.2 | Getting started | 3-2 |
| 3.3 | Global information | 3-2 |
| 3.4 | Commands for defining the simulation | 3-2 |
| | Creating and deleting universes 3-2 | |
| | Setting the domain 3-3 | |
| | Creating instances of stars and galaxies 3-4 | |
| | Connecting stars and galaxies 3-5 | |
| | Netlist-style connections 3-6 | |
| | Bus connections between MultiPortHoles 3-6 | |
| | Connecting internal galaxy stars and galaxies to the outside 3-6 | |
| | Defining parameters and states for a galaxy 3-6 | |
| | Setting the value of states 3-7 | |
| | Setting the number of ports to a star 3-7 | |
| | Defining new galaxies 3-8 | |
| 3.5 | Showing the current status | 3-9 |
| | Displaying the known classes 3-9 | |
| | Displaying information on a the current galaxy or other class 3-9 | |
| 3.6 | Running the simulation | 3-9 |
| | Creating a schedule 3-10 | |
| | Running the simulation 3-10 | |
| | Continuing a simulation 3-10 | |
| | Wrapping up a simulation 3-10 | |
| | Interrupting a simulation 3-10 | |
| | Obtaining the stop time of the current run 3-10 | |
| | Obtaining time information from the scheduler 3-11 | |
| | Animating a simulation 3-11 | |
| 3.7 | Undoing what you have done | 3-11 |
| | Resetting the interpreter 3-11 | |
| | Removing a star 3-11 | |
| | Removing a connection 3-11 | |
| | Removing a node 3-12 | |
| 3.8 | Targets..... | 3-12 |
| | What targets are available? 3-12 | |
| | Changing the target 3-12 | |
| | Changing target parameters 3-12 | |
| | Pragmas 3-12 | |
| 3.9 | Miscellaneous commands | 3-13 |
| | Loading commands from a file 3-13 | |
| | Changing the seed of random number generation 3-13 | |
| | Changing the current directory 3-14 | |
| | Dynamically linking new stars 3-14 | |
| | Top-level blocks 3-15 | |
| | Examining states 3-15 | |
| | Giving up 3-15 | |

| | |
|-----------------------------------------------------------|-------------|
| Getting help | 3-15 |
| Registering actions | 3-15 |
| The Interface to Matlab and Mathematica | 3-16 |
| 3.10 Limitations of the interpreter | 3-18 |
| 3.11 A wormhole example | 3-18 |
| 3.12 Some hints on advanced uses of ptcl with pigi | 3-19 |
| Ptcl as a simulation control language for pigi | 3-19 |
| The pigi log file pigiLog.pt | 3-20 |
| Using pigiLog.pt to build scripts | 3-22 |
| oct2ptcl | 3-22 |

4. Introduction to Domains, Targets, and Foreign Tool Interfaces

| | |
|--------------------------------------------------------------|-------------|
| 4.1 Introduction | 4-1 |
| 4.2 Synchronous dataflow (SDF) | 4-3 |
| 4.3 Higher-Order Functions (HOF) | 4-3 |
| 4.4 Dynamic dataflow (DDF) | 4-3 |
| 4.5 Boolean dataflow (BDF) | 4-4 |
| 4.6 Process Network (PN) | 4-4 |
| 4.7 Synchronous Reactive (SR) | 4-5 |
| 4.8 Finite State Machine (FSM) | 4-5 |
| 4.9 Discrete Event (DE) | 4-5 |
| 4.10 Multidimensional Synchronous Dataflow (MDSDF) | 4-6 |
| 4.11 Code generation (CG) | 4-6 |
| 4.12 Code generation in C (CGC) | 4-6 |
| 4.13 Code generation for the Motorola DSP56000 (CG56) | 4-7 |
| 4.14 Code generation in VHDL (VHDL, VHDLB) | 4-7 |
| 4.15 Domains that have been removed | 4-12 |
| Circuit simulation (Thor) | 4-12 |
| Communicating processes (CP) | 4-13 |
| Message queueing (MQ) | 4-13 |
| Code generation for the Sproc multiprocessor DSP (Sproc) | 4-13 |
| Code generation for the Motorola DSP96000 (CG96) | 4-14 |
| Code generation in Silage (Silage) | 4-14 |
| Functional Code Generation in VHDL (VHDLF) | 4-14 |
| 4.16 Interfaces to Foreign Tools | 4-15 |
| Specification and Layout | 4-15 |
| Parameter Calculation | 4-16 |
| Algorithm Prototyping and Visualization | 4-16 |
| Simulation | 4-16 |
| Synthesis | 4-16 |

5. SDF Domain

| | |
|-------------------------|------------|
| 5.1 Introduction | 5-1 |
|-------------------------|------------|

| | |
|----------------------------------------------------|-------------|
| Basic dataflow terminology | 5-1 |
| Balancing production and consumption of tokens | 5-2 |
| Iterations in SDF | 5-3 |
| Inconsistency | 5-3 |
| Delays | 5-4 |
| 5.2 An overview of SDF stars..... | 5-4 |
| Source stars | 5-5 |
| Sink stars | 5-9 |
| Arithmetic stars | 5-12 |
| Nonlinear stars | 5-13 |
| Logic stars | 5-16 |
| Control stars | 5-17 |
| Conversion stars | 5-20 |
| Matrix stars | 5-23 |
| Matlab stars | 5-26 |
| UltraSparc Native DSP | 5-28 |
| Signal processing stars | 5-30 |
| Spectral analysis | 5-34 |
| Communication stars | 5-36 |
| Telecommunications | 5-39 |
| Spatial Array Processing | 5-42 |
| Image processing stars | 5-44 |
| Neural Networks | 5-48 |
| Higher Order Function stars | 5-50 |
| User Contributions | 5-50 |
| Tcl stars | 5-50 |
| 5.3 An overview of SDF demonstrations | 5-51 |
| Basic demos | 5-51 |
| Multirate demos | 5-53 |
| Communications demos | 5-54 |
| Digital signal processing demos | 5-55 |
| Sound-making demos | 5-57 |
| Image and video processing demos | 5-59 |
| Fixed-point demos | 5-61 |
| Tcl/Tk demos | 5-61 |
| Matrix demos | 5-62 |
| MATLAB Demos | 5-64 |
| HOF Demos | 5-64 |
| Scripted Runs | 5-64 |
| 5.4 Targets..... | 5-65 |
| Default SDF target | 5-65 |
| The loop-SDF target | 5-67 |
| Compile-SDF target | 5-67 |
| SDF to PTCL target | 5-69 |
| 5.5 Exercises..... | 5-70 |

| | |
|------------------------------------------------------------|------|
| Modulation | 5-70 |
| Sampling and multirate | 5-72 |
| Exponential sequences, transfer functions, and convolution | 5-73 |
| Linear phase filtering | 5-75 |
| Coefficient quantization | 5-76 |
| FIR filter design | 5-78 |
| The DFT (discrete Fourier transform) | 5-79 |
| Whitening filters | 5-81 |
| Wiener filtering | 5-81 |
| Adaptive equalization | 5-82 |
| ADPCM speech coding | 5-83 |
| Spectral estimation | 5-84 |
| Lattice filters | 5-85 |

6. HOF Domain

| | | |
|------------|---------------------------------------|-------------|
| 6.1 | Introduction | 6-1 |
| 6.2 | Using the HOF domain. | 6-2 |
| | The Map star and its variants | 6-2 |
| | Managing multidimensional data | 6-9 |
| | Other higher-order control structures | 6-11 |
| | Statically evaluated recursion | 6-12 |
| | Bus manipulation stars | 6-13 |
| 6.3 | An overview of the HOF stars | 6-15 |
| | Bus manipulation stars | 6-15 |
| | Map-like stars | 6-16 |
| 6.4 | An overview of HOF demos. | 6-18 |
| | HOF demos in the SDF domain | 6-18 |
| | HOF demos in the DE domain | 6-20 |
| | HOF demos in the CGC domain | 6-20 |

7. DDF Domain

| | | |
|------------|--------------------------------------|-------------|
| 7.1 | Introduction | 7-1 |
| 7.2 | The DDF Schedulers | 7-2 |
| | The default scheduler | 7-4 |
| | The clustering scheduler | 7-5 |
| | The fast scheduler | 7-6 |
| 7.3 | Inconsistency in DDF. | 7-7 |
| 7.4 | The default-DDF target. | 7-8 |
| 7.5 | An overview of DDF stars | 7-9 |
| 7.6 | An overview of DDF demos. | 7-10 |
| 7.7 | Mixing DDF with other domains | 7-12 |

8. BDF Domain

| | | |
|------------|---------------------|------------|
| 8.1 | Introduction | 8-1 |
|------------|---------------------|------------|

| | | |
|----------------------------------------|---------------------------------------------------------------|-------------|
| 8.2 | The default-BDF target | 8-2 |
| 8.3 | An overview of BDF stars | 8-2 |
| 8.4 | An overview of BDF demos | 8-3 |
| 9. PN domain | | |
| 9.1 | Introduction | 9-1 |
| 9.2 | Process networks | 9-1 |
| | Dataflow process networks 9-2 | |
| | Scheduling dataflow process networks 9-3 | |
| | Iterations in the PN domain 9-3 | |
| 9.3 | Threads | 9-3 |
| 9.4 | An overview of PN stars | 9-4 |
| 9.5 | An overview of PN demos | 9-5 |
| | Examples from papers by Gilles Kahn and David B. MacQueen 9-5 | |
| | Examples from the Ph.D. thesis of Thomas M. Parks 9-7 | |
| 10. SR domain | | |
| 10.1 | Introduction | 10-1 |
| 10.2 | SR concepts | 10-1 |
| 10.3 | SR compared to other domains | 10-1 |
| 10.4 | The semantics of SR | 10-1 |
| 10.5 | Overview of SR stars | 10-3 |
| | General stars 10-3 | |
| | Itcl stars 10-4 | |
| | MIDI stars 10-4 | |
| 10.6 | An overview of SR demos | 10-5 |
| | Use of the Yamaha CBX-K1XG as a midi keyboard controller 10-5 | |
| 11. Finite State Machine Domain | | |
| 11.1 | Introduction | 11-1 |
| 11.2 | Graphical User Interface | 11-1 |
| | Edit a new STD file 11-1 | |
| | Edit the Input/Output and Internal Events Names 11-1 | |
| | Draw/Edit a State 11-1 | |
| | Draw/Edit a Transition 11-2 | |
| | Delete a State/Transition 11-2 | |
| | Move/Reshape a State/Transition 11-2 | |
| | Slave Processes of States 11-2 | |
| 11.3 | Working within Ptolemy | 11-2 |
| | Make an Icon in Vem 11-2 | |
| | Look Inside an FSM Galaxy 11-3 | |
| | Compile an FSM Galaxy 11-3 | |
| 11.4 | An overview of FSM demonstrations | 11-3 |

| | |
|---------------------------------------|-------------|
| 11.5 Current Limitations | 11-4 |
|---------------------------------------|-------------|

12. DE Domain

| | |
|----------------------------------------------------|--------------|
| 12.1 Introduction | 10-1 |
| 12.2 The DE target and its schedulers | 10-1 |
| Events and chronology 10-2 | |
| Event generators 10-2 | |
| Simultaneous events 10-3 | |
| Delay-free loops 10-4 | |
| Wormholes 10-4 | |
| DE Performance Issues 10-7 | |
| 12.3 An overview of stars in DE | 10-7 |
| Source stars 10-8 | |
| Sink stars 10-10 | |
| Control stars 10-12 | |
| Conversion stars 10-14 | |
| Queues, servers, and delays 10-15 | |
| Timing stars 10-17 | |
| Logic stars 10-18 | |
| Networking stars 10-19 | |
| Miscellaneous stars 10-22 | |
| HOF Stars 10-24 | |
| 12.4 An overview of DE demos | 10-24 |
| Basic demos 10-24 | |
| Queues, servers, and delays 10-26 | |
| Networking demos 10-27 | |
| Miscellaneous demos 10-28 | |
| Wormhole demos 10-29 | |
| Tcl/Tk Demos 10-30 | |
| HOF Demos 10-31 | |

13. CG Domain

| | |
|----------------------------------------------------------------|--------------|
| 13.1 Introduction | 11-1 |
| 13.2 Targets | 11-1 |
| default-CG 11-2 | |
| bdf-CG 11-3 | |
| FullyConnected 11-3 | |
| SharedBus 11-6 | |
| 13.3 Schedulers | 11-6 |
| Single-Processor Schedulers 11-6 | |
| Multiple-Processor Schedulers 11-7 | |
| 13.4 Interfacing Issues..... | 11-10 |
| Interface Synthesis between Code Generation Targets 11-10 | |
| Interface Synthesis between Code Generation and Simulation Do- | |

mains 11-10

| | |
|---------------------------------------------------|--------------|
| 13.5 Dynamic constructs in CG domain | 11-11 |
| Dynamic constructs as a cluster | 11-11 |
| Quasi-static scheduling of dynamic constructs | 11-12 |
| DDF-type Stars for dynamic constructs | 11-13 |
| 13.6 Stars..... | 11-14 |
| 13.7 Demos | 11-15 |

14. CGC Domain

| | |
|-------------------------------------------------|-------------|
| 14.1 Introduction..... | 12-1 |
| 14.2 CGC Targets | 12-1 |
| Single-Processor Targets | 12-2 |
| Multi-Processor Targets | 12-3 |
| Setting Parameters Using Command-line Arguments | 12-4 |
| 14.3 An Overview of CGC Stars..... | 12-5 |
| Source Stars | 12-5 |
| Sink Stars | 12-7 |
| Arithmetic Stars | 12-8 |
| Nonlinear Stars | 12-8 |
| Control Stars | 12-9 |
| Logic Stars | 12-11 |
| Conversion Stars | 12-11 |
| Signal Processing Stars | 12-12 |
| Communications Stars | 12-12 |
| BDF Stars | 12-13 |
| Tcl/Tk Stars | 12-13 |
| Higher Order Function Stars | 12-14 |
| UltraSparc VIS (Visual Instruction Set) Stars | 12-14 |
| An Overview of CGC Demos | 12-18 |
| Basic Demos | 12-19 |
| Multirate Demos | 12-20 |
| Signal Processing Demos | 12-20 |
| Multi-Processor Demos | 12-21 |
| Fixed-Point Demos | 12-22 |
| Sound-Making Demos | 12-22 |
| Tcl/Tk Demos | 12-24 |
| BDF Demos | 12-25 |
| Higher Order Function Demos | 12-25 |
| SDF-CGC Wormhole demos | 12-25 |
| UltraSparc VIS Demos | 12-26 |
| EECS20 demos | 12-26 |
| Tycho Demos | 12-27 |

15. CG56 Domain

| | |
|-------------------------------|-------------|
| 15.1 Introduction..... | 13-1 |
|-------------------------------|-------------|

| | |
|------------------------------------------------------------|--------------|
| 15.2 An overview of CG56 stars | 13-1 |
| Source stars 13-3 | |
| I/O Stars 13-3 | |
| Arithmetic stars 13-6 | |
| Nonlinear stars 13-7 | |
| Logic stars 13-10 | |
| Control stars 13-11 | |
| Conversion stars 13-12 | |
| Signal processing stars 13-13 | |
| 15.3 An overview of CG56 Demos | 13-15 |
| Basic/Test demos 13-15 | |
| Motorola Simulator Demos 13-16 | |
| S-56X Demos 13-16 | |
| CGC-S56X Demos 13-17 | |
| 15.4 Targets | 13-19 |
| Default CG56 (default-CG56) target 13-19 | |
| CG56 Simulator (sim-CG56) target 13-20 | |
| Ariel S-56X (S-56X) target 13-21 | |
| CG56 Subroutine (sub-CG56) target 13-21 | |
| Multiprocessor 56k Simulator (MultiSim-56000) target 13-21 | |

16. VHDL Domain

| | |
|---------------------------------------------|--------------|
| 16.1 Introduction | 14-1 |
| Setting Environment Variables 14-2 | |
| 16.2 VHDL Targets | 14-3 |
| The default-VHDL Target 14-3 | |
| The struct-VHDL Target 14-4 | |
| The SimVSS-VHDL Target 14-4 | |
| The SimMT-VHDL Target 14-5 | |
| The Synth-VHDL Target 14-6 | |
| Cadence Leapfrog Ptolemy Interface 14-7 | |
| 16.3 An Overview of VHDL Stars | 14-7 |
| Source Stars 14-8 | |
| Sink Stars 14-9 | |
| Arithmetic Stars 14-9 | |
| Nonlinear Stars 14-10 | |
| Control Stars 14-10 | |
| Conversion Stars 14-11 | |
| Signal Processing Stars 14-11 | |
| 16.4 An Overview of VHDL Demos | 14-12 |
| Code Generation Demos 14-13 | |
| Simulation Demos 14-13 | |
| Synthesis Demos 14-14 | |
| Cosimulation Demos 14-14 | |

17. C50 Domain

| | | |
|------|-------------------------------------------|-------|
| 17.1 | Introduction | 15-1 |
| 17.2 | An overview of C50 stars | 15-1 |
| | Source stars 15-2 | |
| | I/O Stars 15-3 | |
| | Arithmetic stars 15-4 | |
| | Nonlinear stars 15-5 | |
| | Logic stars 15-7 | |
| | Control stars 15-8 | |
| | Conversion stars 15-9 | |
| | Signal processing stars 15-10 | |
| 17.3 | An overview of C50 Demos | 15-12 |
| | Basic/Test demos 15-12 | |
| | DSK 320C5x demos 15-12 | |
| 17.4 | Targets | 15-13 |
| | Default C50 (default-C50) target 15-13 | |
| | C50 Subroutine (sub-C50) target 15-14 | |
| | C50 DSP Starter Kit (DSKC50) target 15-14 | |

18. Creating Documentation

| | | |
|------|----------------------------------------|------|
| 18.1 | Introduction | 15-1 |
| 18.2 | Printing the manual | 15-1 |
| 18.3 | Using FrameMaker | 15-2 |
| | Index Entries 15-2 | |
| | Special fonts and displays 15-4 | |
| 18.4 | Using HTML to document stars | 15-5 |

19. Vem — The Graphical Editor for Oct

| | | |
|-------|---------------------------------------|-------|
| 19.1 | Terminology | 16-1 |
| 19.2 | Using Dialog Boxes | 16-4 |
| 19.3 | General Commands | 16-7 |
| 19.4 | Options | 16-11 |
| 19.5 | Selection | 16-15 |
| 19.6 | Property and Bag editing | 16-17 |
| 19.7 | Physical editing commands | 16-17 |
| 19.8 | Symbolic editing commands | 16-20 |
| 19.9 | Schematic editing commands | 16-20 |
| 19.10 | Remote application commands | 16-22 |
| 19.11 | Customizing Vem | 16-23 |
| 19.12 | Bugs | 16-23 |

20. pxgraph — The Plotting Program

| | | |
|------|------------------------|------|
| 20.1 | Introduction | 17-1 |
|------|------------------------|------|

| | |
|--------------------------------------------|-------------|
| 20.2 Invoking xgraph | 17-1 |
| 20.3 Detailed description | 17-1 |
| 20.4 Options | 17-3 |
| 20.5 Bugs | 17-6 |

Appendix A. Installation and Troubleshooting

| | |
|----------------------------------------------------------------------|-------------|
| A.1 Introduction | A-1 |
| A.2 Obtaining Ptolemy | A-1 |
| Access via the Internet A-2 | |
| Access via the World Wide Web A-2 | |
| Obtaining documentation only A-2 | |
| A.3 Ptolemy mailing lists and the Ptolemy newsgroup | A-2 |
| Ptolemy mailing lists A-2 | |
| Ptolemy Newsgroup A-3 | |
| A.4 Installation | A-3 |
| Location of the Ptolemy installation A-4 | |
| Basic Ptolemy installation A-5 | |
| The ptolemy user A-5 | |
| Installation without creating a ptolemy user A-5 | |
| Obtaining Ptolemy A-6 | |
| Special considerations for use under OpenWindows A-7 | |
| Gnu Installation A-7 | |
| Testing the Installation A-9 | |
| Rebuilding Ptolemy From Source A-10 | |
| Freeing up Disk Space A-14 | |
| Other useful software packages A-14 | |
| A.5 Troubleshooting | A-15 |
| Problems with tar files A-15 | |
| Problems starting pigi A-16 | |
| Common problems while running pigi A-19 | |
| Window system problems A-20 | |
| Problems with the compiler A-23 | |
| Problems compiling files A-25 | |
| Generated code in CGC fails to compile A-27 | |
| Ptolemy will not recompile A-27 | |
| Dynamic linking fails A-30 | |
| Dynamic linking and makefiles A-31 | |
| Path and/or environment variables not set in “debug” pigi A-32 | |
| DE Performance Issues A-32 | |
| A.6 Known bugs | A-33 |
| Bugs in vem A-33 | |
| Bugs in pigi A-34 | |
| Bugs in tycho A-35 | |
| Code generation bugs A-35 | |

| | |
|--------------------------------------|------|
| Bugs in pxgraph | A-35 |
| HPPA specific bugs | A-36 |
| IBM AIX specific bugs | A-37 |
| Silicon Graphics IRIX5 specific bugs | A-37 |
| Linux specific bugs | A-38 |
| Sun Solaris 2.4 specific bugs | A-38 |
| Sun OS4 specific bugs | A-39 |
| DEC Alpha specific bugs | A-39 |
| GNU compiler bugs | A-39 |

| | |
|------------------------------------|-------------|
| A.7 Additional resources | A-40 |
| A.8 Submitting a bug report | A-40 |

Appendix B. Introduction to the X Window System

| | |
|--------------------------------------------------------|------------|
| B.1 A model user's home directory | B-1 |
| B.2 Running Pigi using Sun's OpenWindows system | B-1 |
| B.3 Starting X | B-2 |
| B.4 Manipulating Windows | B-3 |

Appendix C. Filter design programs

| | |
|---------------------------------------------------|------------|
| C.1 Introduction | C-1 |
| C.2 optfir — equiripple FIR filter design | C-1 |
| C.3 wfir — window method FIR filter design | C-4 |

Appendix D. Shared Libraries

| | |
|---------------------------------------------------------------------|------------|
| D.1 Introduction | D-1 |
| Static Libraries | D-1 |
| Shared Libraries | D-1 |
| Differences between static and shared libraries: Unresolved symbols | |
| D-2 | |
| Differences between static and shared libraries: Pulling in stars | D-2 |
| D.2 Shared library problems | D-3 |
| Startup Time | D-3 |
| D.3 Reasons to use shared libraries | D-4 |
| D.4 Architectural Dependencies | D-4 |
| Solaris | D-5 |
| SunOS | D-5 |
| HPUX | D-5 |
| D.5 GateKeeper Error | D-6 |

Appendix E. Glossary

References

Index

